

The current version is #ident
"@(#)\$Format:LocalFoodAI_lanfr144:zabbix_monitoring.md:Francois
Lange:lanfr144@school.lu:2026/06/11 08:26:59:Francois
Lange:lanfr144@school.lu:2026/06/11
08:26:59:1701828b122e0c319e59134ca6511a42ecad9297::\$"

Zabbix Telemetry & Monitoring Guide

Overview

The Local Food AI project enforces strict DevSecOps observability by streaming live hardware and database telemetry metrics to an external Zabbix server (**192.168.130.170:8081**).

[!IMPORTANT] Of ine Local Fallback: If the network to the external server is down or unavailable, the Zabbix monitoring dashboard is fully functional and accessible locally at `http://localhost:8081` when running the local Docker Compose stack.

Accessing the Dashboard

1. Open your browser and navigate to `http://192.168.130.170:8081` (or `http://localhost:8081` if of ine/local).
2. Log in using your Zabbix credentials (default: **Admin / zabbix**).
3. On the left sidebar, click **Monitoring > Dashboards**.
4. Select the **Food AI RAG Telemetry (Live)** dashboard.

Key Metrics Monitored

The dashboard automatically queries the SNMP daemons running inside the Docker containers to monitor:

Memory Consumption: Evaluates the massive RAM usage required by the Ollama Llama3.2:3B LLM during clinical evaluations.

CPU Spikes: Identifies processing bottlenecks during the 3GB OpenFoodFacts **MATCH AGAINST** queries.

Database Row Count Check: Displays the real-time record count of `food_db.products_core` to monitor the background CSV ingestion progress.

Verifying Alerts

1. Click **Monitoring > Problems**.
2. If `snmpd` inside a container crashes or is unreachable, Zabbix will trigger an **Agent Unreachable** High-Severity Alert.
3. If the Database Server container crashes, Zabbix will trigger an alert via the Application Python `snmp_notifier.py` wrapper which sends asynchronous trap payloads indicating critical RAG failures.